CONTENTS OF VOLUME 39

Andrews, J. E. and **Roberts, D. W. A.** Association between ascorbic acid concentration and cold hardening in young winter wheat seedlings, 503.
Arekal, G. D. Contribution to the embryology of *Hoppea dichotoma* Willd. (Gentianaceae), 1001.
Ashton, D. H. See Lieth, H., 1255.
Atkinson, R. G. Preliminary studies on the utilization and release of amino acids by *Cylindrocarpon radicicola* Woll., 1531.
Bailey, D. L. See Subba-Rao, N. S., 1747, 1759.
Bakshi, B. K. and **Choudhury, T. G.** Sexuality and interfertility studies in *Polyporus abietinus*, *P. pargamenus*, and *P. versatilis*, 997.
See also Singh, S., 1845.
Barr, M. E. Northern pyrenomycetes. II. Gaspesian Park, 307.
Barron, G. L. Studies on species of *Oidiodendron*, *Helicodendron*, and *Stachybotrys* from soil, 1563.
Monocillium humicola sp. nov. and *Paecilomyces variabilis* sp. nov. from soil, 1573.
Barron, G. L., Cain, R. F., and **Gilman, J. C.** A revision of the genus *Petriella*, 837.
The genus *Microascus*, 1609.
Basu, P. K. *Verticillium* disease of strawberries, 165.
Beamish, K. I. Studies of meiosis in the genus *Saxifraga* of the Pacific Northwest, 567.
Bidwell, R. G. S. A note on the quantitative determination of C^{14}-radioactivity on paper chromatograms, 607.
See also Subba-Rao, N. S., 1759.
Bier, J. E. The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. IV. Pathogenicity studies of *Cryptodiaporthe salicella* (Fr.) Petrak, and *Fusarium lateritium* Nees., on *Populus trichocarpa* Torrey and Gray, *P.* 'robusta', *P. tremuloides* Michx., and *Salix* sp., 139.
The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. V. Rooting behavior and disease vulnerability in cuttings of *Populus trichocarpa* Torrey and Gray, and *P.* 'robusta', 145.
The relation of bark moisture to the development of canker diseases caused by native, facultative parasites. VI. Pathogenicity studies of *Hypoxylon pruinatum* (Klotzsch) Cke., and *Septoria musiva* Pk. on species of *Acer*, *Populus*, and *Salix*, 1555.
Boll, W. G. and **Khan, A. A.** Evidence for 'lipopeptide', phosphatidylethanolamine, and phosphatidylcholine in excised tomato roots, 1067.
Bolton, A. T. See Julien, J. B., 993.
Bonga, J. M. A method for sectioning plant material using cellulose tape, 729.
Bourchier, R. J. Laboratory studies on microfungi isolated from the stems of living lodgepole pine, *Pinus contorta* Dougl., 1373.
Two new imperfect fungi from the heartwood of living lodgepole pine, 1781.
Bowden, W. M. Chromosome numbers and taxonomic notes on northern grasses. IV. Tribe Festuceae: *Poa* and *Puccinellia*, 123.
Interspecific hybridization in *Lobelia* L. section Lobelia, 1679.
Bowerman, C. A. *Lycoperdon* in eastern Canada with special reference to the Ottawa district, 353.
Boyer, M. G. A fusarium canker disease of *Populus deltoides* Marsh., 1195.
Variability and hyphal anastomoses in host-specific forms of *Marssonina populi* (Lib.) Magn., 1409.
Boyes, J. W. See Sharma, K. D., 1241.
Brewer, D. Studies on slime accumulations in pulp and paper mills. V. Preliminary observations on the effect of extracts of spruce and fir on the growth of *Phialophora fastigiata*, 1579.
Brown, S. A. Studies of lignin biosynthesis using isotopic carbon. IX. Taxonomic distribution of the ability to utilize tyrosine in lignification, 253.
Bünning, E. Endogenous rhythms and morphogenesis, 461.
Cain, R. F. Studies of soil fungi. III. New species of *Coniochaeta*, *Chaetomidium*, and *Thielavia*, 1231.
Anixiella and *Diplogelasinospora*, two genera with cleistothecia and pitted ascospores, 1667.
Studies of coprophilous Ascomycetes. VII. *Preussia*, 1633.
See also Barron, G. L., 837, 1609; Reid, J., 1117; Wright, E. F., 1215.
Chailakhian, M. Kh. Principles of ontogenesis and physiology of flowering in higher plants, 1817.
Chelack, W. S. See Hagborg, W. A. F., 1633.
Childers, W. R. and **McLennan, H. A.** The inheritance and histology of a chlorophyll-deficient character in *Medicago sativa* L., 847.

Chinn, S. H. F. and **Ledingham, R. J.** Mechanisms contributing to the eradication of spores of *Helminthosporium sativum* from amended soil, 739.
Choudhury, T. G. See Bakshi, B. K., 997.
Ciurysek, K. W. See Ward, E. W. B., 1497.
Cole, K. See Kemp, L., 1711.
Colotelo, N. See Shaw, M., 1351.
Cook, F. D. See Lochhead, A. G., 7.
Cormack, M. W. See Mead, H. W., 793; Ward, E. W. B., 297.
Dale, H. M. See McCully, M. E., 611, 1099; Sangster, A. G., 35.
Dance, B. W. Leaf and shoot blight of poplars (section *Tacamahaca* Spach) caused by *Venturia populina* (Vuill.) Fabric., 875.
Spore dispersal in *Pollaccia radiosa* (Lib.) Bald. and Cif., 1429.
Dhillon, T. S., Garber, E. D., and **Wyttenbach, E. G.** Genetics of phytopathogenic fungi. VI. Heterocaryons involving *Gibberella fujikuroi* and formae of *Fusarium oxysporum*, 785.
Dixon, P. S. The occurrence of tetrasporangia and carposporophytes on the same thallus in *Euthora cristata* (L. ex Turn.) J. Ag., 541.
Elliott, M. E. See Groves, J. W., 215.
Etheridge, D. E. Factors affecting branch infection in aspen, 799.
Farrar, J. L. See Giertych, M. M., 1247.
Forsyth, F. R. and **Unwin, C. H.** Fungicidal action as affected by interaction of nickel chloride, nabam, zineb, and zinc sulphate, 519.
Forward, D. F. and **Nolan, N. J.** Growth and morphogenesis in the Canadian forest species. IV. Radial growth in branches and main axis of *Pinus resinosa* Ait. under conditions of open growth, suppression, and release, 385.
Growth and morphogenesis in the Canadian forest species. V. Further studies of wood growth in branches and main axis of *Pinus resinosa* Ait. under conditions of open growth, suppression, and release, 411.
Frankton, C. and **Moore, R. J.** Cytotaxonomy, phylogeny, and Canadian distribution of *Cirsium undulatum* and *Cirsium flodmanii*, 21.
Friend, D. J. C. Control of chlorophyll content by daylength in leaves of Marquis wheat, 51.
Gagnon, C. Growth of *Ceratocystis ulmi* (Buisman) C. Moreau in liquid culture media, 1087.
Garber, E. D. See Dhillon, T. S., 785.
G. H. Duff Memorial Symposium on Developmental Physiology, 439.
Giertych, M. M. and **Farrar, J. L.** The effect of photoperiod and nitrogen on the growth and development of seedlings of Jack pine, 1247.
Gillett, J. M. and **Senn, H. A.** A new species of *Agropyron* from the Great Lakes, 1169.
Gilman, J. C. See Barron, G. L., 837, 1609.
Gorham, E. Chlorophyll derivatives, sulphur, and carbon in sediment cores from two English lakes, 333.
Graham, K. M. and **Wright, F.** An occurrence of oospores in Canadian cultures of *Phytophthora infestans* (Mont.) De Bary, 995.
Grant, W. F. Speciation and basic chromosome number in the genus *Celosia*, 45.
Green, G. J. See Welsh, J. N., 513.
Groves, J. W. and **Elliott, M. E.** Self-fertility in the Sclerotiniaceae, 215.
Hagborg, W. A. F., Spencer, J. F. T., and **Chelack, W. S.** Antibiotic P-9 in the control of cereal rusts, 1725.
Hall, I. V. and **Ludwig, R. A.** The effects of photoperiod, temperature, and light intensity on the growth of the lowbush blueberry (*Vaccinium angustifolium* Ait.), 1733.
Hanna, M. R. Cytological studies in *Bromus* species, section Bromopsis, 757.
Hao, M. S. H. See Wang, D., 1029.
Heimburger, M. A karyotype study of *Anemone drummondii* and its hybrid with *A. multifida*, 497.
Heitefuss, R. See Rohringer, R., 263.
Hennebert, G. L. See Hughes, S. J., 1505.
Henry, A. W. See Ward, E. W. B., 65, 491.
Hildreth, R. C. See Stover, R. R., 197.
Holt, A. S. Further evidence of the relation between 2-desvinyl-2-formyl-cholorophyll-*a* and chlorophyll-*d*, 327.
Hopkins, J. C. Studies of the culture of *Atropellis piniphila*, 1521.
Hughes, S. J. Microfungi. VII. *Brachydesmiella* Arnaud, 1095.
Hughes, S. J. and **Hennebert, G. L.** Microfungi. VIII. *Balanium* Wallroth, 1505.
Jones, L. H. Some effects of potassium deficiency on the metabolism of the tomato plant, 593.
Jorgensen, E. On the spread of *Fomes annosus* (Fr.) Cke., 1437.
The formation of pinosylvin and its monomethyl ether in the sapwood of *Pinus resinosa* Ait., 1765.

Julien, J. B. and **Bolton, A. T.** The production of the ascogenous stage of *Didymella applanata* (Niessl) Sacc., 993.
Kawano, S. On the natural hybrid population of *Hemerocallis*, 667.
Kemp, L. and **Cole, K.** Chromosomal alternation of generations in *Nereocystis luetkeana* (Mertens) Postels and Ruprecht, 1711.
Kendrick, W. B. Hyphomycetes of conifer leaf litter. *Thysanophora* gen. nov., 817.
Hyphomycetes of conifer leaf litter. *Hormodendrum staurophorum* sp. nov., 833.
The *Leptographium* complex. *Phialocephala* gen. nov., 1079.
Khan, A. A. See Boll, W. G., 1067.
Krotkov, G. Introductory remarks by the Chairman, 439.
See also Lister, G. R., 581; Shiroya, M., 855; Smillie, R. M., 891; Tregunna, E. B., 1045.
Kuijt, J. Notes on the Anatomy of the genus *Oryctanthus* (Loranthaceae), 1809.
Kukkonen, I. The smuts of the genus *Cintractia* parasiting *Kobresia* species, 155.
Leach, C. M. The sporulation of *Helminthosporium oryzae* as affected by exposure to near ultraviolet radiation and dark periods, 705.
Leach, W. See Taper, C. D., 437.
Lebeau, J. B. See Ward, E. W. B., 297.
Ledingham, R. J. See Chinn, S. H. F., 739; White, G. A., 1131.
Lieth, H. See Löve, D., 1261.
Lieth, H. and **Ashton, D. H.** The light compensation points of some herbaceous plants inside and outside deciduous woods in Germany, 1255.
Ling, R. S. See Taper, C. D., 1585.
Linzon, S. N. The movement of injected dye solutions in healthy and needle-blighted white pine trees, 683.
Field grafting with healthy and needle-blighted eastern white pine trees and the expression of disease symptoms, 1287.
Lister, G. R. See Shiroya, M., 855.
Lister, G. R., Krotkov, G., and **Nelson, C. D.** A closed-circuit apparatus with an infrared CO_2 analyzer and a Geiger tube for continuous measurement of CO_2 exchange in photosynthesis and respiration, 581.
Lochhead, A. G. and **Cook, F. D.** Microbial growth factors in relation to resistance of flax varieties to *Fusarium* wilt, 7.
Loughheed, T. C. The effect of nutrition on synnemata formation in *Hirsutella gigantea* Petch, 865.
Loughheed, T. C. and **MacLeod, D. M.** Comparative yields of *Hirsutella gigantea* Petch with L-glutamic acid and monosodium glutamate as nitrogen sources, 727.
Loughman, B. C. See Wort, D. J., 339.
Löve, D. and **Lieth, H.** *Triglochin gaspense*, a new species of arrow grass, 1261.
Ludwig, R. A. See Hall, I. V., 1733.
McCalla, D. R. Physiological studies on a necrotic mutant of corn, 1337.
McCully, M. E. and **Dale, H. M.** Variations in leaf number in *Hippuris*. A study of whorled phyllotaxis, 611.
Heterophylly in *Hippuris*, a problem in identification, 1099.
McKenzie, R. I. H. See Welsh, J. N., 513.
McLennan, H. A. See Childers, W. R., 847.
MacLeod, D. M. See Loughheed, T. C., 727.
Maycock, P. F. Botanical studies on Mont St. Hilaire, Rouville County, Quebec. General description of the area and a floristic survey, 1293.
Mead, H. W. Studies on *Ascochyta imperfecta* Peck. Differential utilization of nutrients by isolates from Canadian alfalfa seed, 1591.
Mead, H. W. and **Cormack, M. W.** Studies on *Ascochyta imperfecta* Peck. Parasitic strains among fifty isolates from Canadian alfalfa seed, 793.
Miller, J. J. and **Reid, J.** Stimulation by light of sporulation in *Trichoderma lignorum* (Tode) Harz, 259.
Mohan Ram, H. Y. Seed development in *Adhatoda vasica* Nees, 207.
Moore, R. J. Typification of the Linnaean species of *Caragana*, 1041.
See also Frankton, C., 21; Mulligan, G. A., 269.
Mortimer, D. C. Some observations on the formation of glyceric acid during photosynthesis experiments, 1.
Moss, E. H. and **Turner, G. H.** Bryophytes from the Edmonton region, Alberta, 1177.
Mothes, K. The metabolism of urea and ureides, 1785.
Mukerji, K. G. See Rai, J. N., 1281.
Mulligan, G. A. Chromosome numbers of Canadian weeds, III, 1057.
Mulligan, G. A. and **Moore, R. J.** Natural selection among hybrids between *Carduus acanthoides* and *C. nutans* in Ontario, 269.

Naguib, K. and **Saddik, K.** The use of ammonium source of nitrogen in the metabolism of *Aspergillus nidulans* Eidam, 955.
Naylor, J. M. and **Simpson, G. M.** Dormancy studies in seed of *Avena fatua*. 2. A gibberellin-sensitive inhibitory mechanism in the embryo, 281.
Nelson, C. D. See Lister, G. R., 581; Shiroya, M., 855; Tregunna, E. B., 1045.
Nolan, N. J. See Forward, D. F., 385; 411.
Obrist, W. The genus *Ascodesmis*, 943.
Page, O. T. Induced variation in *Fusarium oxysporum*, 1509.
Variation in the banana-wilt pathogen, *Fusarium oxysporum* f. *cubense*, 545.
Pantidou, M. E. Carpophores of *Phlebopus sulphureus* in culture, 1163.
Cultural studies of Boletaceae. *Gyrodon merulioides* and four species of *Boletinus*, 1149.
Person, C. See Samborski, D. J., 1019.
Person, C. O. See Rohringer, R., 775.
Pratt, M. J. Studies on clover yellow mosaic and white clover mosaic viruses, 655.
Rai, J. N., Tewari, J. P., and **Mukerji, K. G.** A new *Helicostylum* from Indian soils, 1281.
Raymond, F. L. and **Reid, J.** Dieback of balsam fir in Ontario, 233.
Reid, J. See Miller, J. J., 259; Raymond, F. L., 233.
Reid, J. and **Cain, R. J.** The genus *Therrya*, 1117.
Richardson, L. T. and **Thorn, G. D.** The interaction of thiram and spores of *Glomerella cingulata* Spauld. & Schrenk., 531.
Roberts, D. W. A. See Andrews, J. E., 503.
Rohringer, R. See Samborski, D. J., 1019.
Rohringer, R. and **Heitefuss, R.** Incorporation of P^{32} into ribonucleic acid of rusted wheat leaves, 263.
Rohringer, R., Samborski, D. J., and **Person, C. O.** Ribonuclease activity in rusted wheat leaves, 775.
Ross, R. G. The effect of certain elements, with emphasis on nitrogen, on the production of perithecia of *Venturia inaequalis* (Cke.) Wint., 731.
Rowe, J. S. Critique of some vegetational concepts as applied to forests of northwestern Alberta, 1007.
Russell, R. C. The influence of aging of seed on the development of loose smut in barley, 1741.
Saddik, K. See Naguib, K., 955.
Sahai, B. I. and **Shaw, M.** The physiology of host–parasite relations. VIII. Effects of rust infection on ascorbic acid and glutathione in wheat leaves, 1327.
A Salkowski-positive derivative of ferulic acid from wheat leaves, 1553.
Saksena, H. K. Nuclear phenomena in the basidium of *Ceratobasidium praticolum* (Kotila) Olive, 717.
Nuclear structure and division in the mycelium and basidiospores of *Ceratobasidium praticolum*, 749.
Saksena, H. K. and **Vaartaja, O.** Taxonomy, morphology, and pathogenicity of *Rhizoctonia* species from forest nurseries, 627.
Samborski, D. J. See Rohringer, R., 775.
Samborski, D. J., Rohringer, R., and **Person, C.** Effect of rust-inhibiting compounds on the metabolism of wheat leaves, 1019.
Sangster, A. G. and **Dale, H. M.** A preliminary study of differential pollen grain preservation, 35.
Savile, D. B. O. The botany of the northwestern Queen Elizabeth Islands, 909.
Scagel, R. F. and **Stein, J. R.** Marine nannoplankton from a British Columbia fjord, 1205.
Schuster, R. M. Notes on Nearctic Hepaticae. XVIII. New Lophoziaceae from the Arctic Archipelago of Canada, 965.
Senn, H. A. See Gillett, J. M., 1169.
Setterfield, G. Structure and composition of plant-cell organelles in relation to growth and development, 469.
Sharma, K. D. and **Boyes, J. W.** Modified incompatibility of buckwheat following irradiation, 1241.
Shaw, M. The physiology of host–parasite relations. IX. Further observations on the accumulation of radioactive substances at rust infections, 1393.
See also Sahai, B. I., 1327, 1553.
Shaw, M. and **Colotelo, N.** The physiology of host–parasite relations. VII. The effect of stem rust on the nitrogen and amino acids in wheat leaves, 1351.
Shiroya, M., Lister, G. R., Nelson, C. D., and **Krotkov, G.** Translocation of C^{14} in tobacco at different stages of development following assimilation of $C^{14}O_2$ by a single leaf, 855.
Shoemaker, R. A. *Pyrenophora phaeocomes* (Reb. ex Fr.) Fr., 901.
Simpson, G. M. See Naylor, J. M., 281.

Singh, B. See Singh, S., 1845.
Singh, S., Singh, B., and **Bakshi, B. K.** *Merulius tremellosus* (Schrad.) Fr. and its *Ptychogaster* stage, 1845.
Smillie, R. M. and **Krotkov, G.** Changes in the dry weight, protein, nucleic acid, and chlorophyll contents of growing pea leaves, 891.
Spencer, J. F. T. See Hagborg, W. A. F., 1725.
Stace-Smith, R. Studies on *Rubus* virus diseases in British Columbia. VII. Raspberry vein chlorosis, 559.
Stein, J. R. See Scagel, R. F., 1205.
Steward, F. C. Vistas in plant physiology; problems of organization, growth, and morphogenesis, 441.
Stover, R. H., Hildreth, R. C., and **Thornton, N. C.** Studies on *Fusarium* wilt of bananas. VII. Field control, 197.
Subba-Rao, N. S. and **Bailey, D. L.** Rhizosphere studies in relation to varietal resistance or susceptibility of tomato to *Verticillium* wilt, 1747.
Subba-Rao, N. S., Bidwell, R. G. S., and **Bailey, D. L.** The effect of rhizoplane fungi on the uptake and metabolism of nutrients by tomato plants, 1759.
Symposium, See G. H. Duff, 439.
Taper, C. D. and **Leach, W.** Note on the effects of calcium concentration in culture solutions upon the leaf and whole plant absorption of iron and manganese by dwarf kidney bean, 437.
Taper, C. D. and **Ling, R. S.** Estimation of apple rootstock vigor by the electrical resistance of living shoots, 1585.
Tewari, J. P. See Rai, J. N., 1281.
Thorn, G. D. See Richardson, L. T., 531.
Thornton, N. C. See Stover, R. H., 197.
Timonin, M. I. The interaction of plant, pathogen, and *Scaptocoris talpa* Champ, 695.
Tinline, R. D. *Cochliobolus sativus.* IV. Drug-resistant, color, and nutritionally exacting mutants, 1695.
Trainor, F. R. Temperature and sexuality in *Chlamydomonas chlamydogama*, 1273.
Tregunna, E. B., Krotkov, G., and **Nelson, C. D.** Evolution of carbon dioxide by tobacco leaves during the dark period following illumination with light of different intensities, 1045.
Tremaine, J. E. and **Willison, R. S.** Serological properties common to different isolates of some stone-fruit viruses, 1387.
Estimation of the size of a stone-fruit virus antigen by the gel-precipitin technique, 1843.
Tremaine, J. H. Removal of host antigens from plant virus preparations by ion exchange chromatography, 1705.
See also Willison, R. S., 1447.
Turner, G. H. See Moss, E. H., 1177.
Unwin, C. H. See Forsyth, F. R., 519.
Vaartaja, O. Demonstration of photoperiodic ecotypes in *Liriodendron* and *Quercus*, 649.
See also Saksena, H. K., 627.
Wagenaar, E. B. Cytological studies of the development of metaphase I in hybrids between *Triticum timopheevi* Zhuk. and *T. durum* Desf., 81.
Wallis, G. W. Infection of Scots pine roots by *Fomes annosus*, 109.
Wang, D. The nature of starch accumulation at the rust infection site in leaves of pinto bean plants, 1595.
Wang, D., Hao, M. S. H., and **Waygood, E. R.** Effect of benzimidazole analogues on stem rust and chlorophyll metabolism, 1029.
Ward, E. W. B. and **Ciurysek, K. W.** Somatic mitosis in a basidiomycete, 1497.
Ward, E. W. B. and **Henry, A. W.** Comparative response of two saprophytic and two plant parasitic soil fungi to temperature, hydrogen-ion concentration, and nutritional factors, 65.
Growth inhibition of two saprophytic and two plant parasitic soil fungi by antibiotics, 491.
Ward, E. W. B., Lebeau, J. B., and **Cormack, M. W.** Grouping of isolates of a low-temperature basidiomycete on the basis of cultural behavior and pathogenicity, 297.
Waygood, E. R. See Wang, D., 1029.
Welsh, J. N., Green, G. J., and **McKenzie, R. I. H.** New genes for resistance to races of oat stem rust, 513.
Welsh, M. F. (*Compiler*) Terminology of plant virus diseases, 1773.
Weintraub, M. See Willison, R. S., 1447.
Weresub, L. K. Typification and synonymy of *Peniophora* species sect. Tubuliferae (Corticiaceae), 1453.

von Wettstein, D. Nuclear and cytoplasmic factors in development of chloroplast structure and function, 1537.
White, G. A. and **Ledingham, G. A.** Studies on the cytochrome oxidase and oxidation pathway in uredospores of wheat stem rust, 1131.
Willison, R. S. See Tremaine, J. H., 1387, 1843.
Willison, R. S., Tremaine, J. H., and **Weintraub, M.** Serological and physical properties of some stone-fruit viruses: non-virus particles associated with infection, 1447.
Wilson, C. M. A cytological study of *Ascocybe*, 1605.
Wood, G. W. The association between age of inflorescence and nectar production in the low-bush blueberry *Vaccinium angustifolium*, 1037.
Wort, D. J. and **Loughman, B. C.** The effect of 3-amino-1,2,4-triazole on the uptake, retention, distribution, and utilization of labelled phosphorus by young barley plants, 339.
Wright, E. F. and **Cain, R. F.** New species of the genus *Ceratocystis*, 1215.
Wright, F. See Graham, K. M., 995.
Wyttenbach, E. G. See Dhillon, T. S., 785.
Zimmermann, W. Phylogenetic shifting of organs, tissues, and phases in Pteridophytes, 1547.